

# Wattstopper Hi/Lo PIR Drop Nipple Mount Sensor, 120-480V, 40 ft lens, White Part No. FSP-221B-D-L7-W



The FSP-2x1B sensors provide multi-level control based on motion and/or daylight contribution. They control 0-10 VDC LED drivers or dimming ballasts, as well as non-dimming ballasts and, with an FSP-Lx Lens, are rated for wet and cold locations. All control parameters are adjustable via a wireless configuration tool capable of storing and transmitting sensor profiles. The FSP-2x1B family is available in three configurations for mounting inside a fixture, to the outside of a fixture via a 1/2" knockout, or to a pole.

#### Features & Benefits

Designed for LED fixtures and rated for extreme temperatures; options for box or Fully adjustable high and low dimmed pole mounting light levels

Hold off setpoint with automatic calibration option for convenience and added energy savings

Adjustable via handheld wireless configuration tool

IP66 rated with choice of lenses for wet and outdoor locations, and mounting heights from 8' to 40'

144.0 cu in

3.0 in

Adjustable time delay and cutoff delay

8.0 in

## **Specifications**

#### General Info

Wattstopper	Color	White
754182939510	Country Of Origin	China
IR (Infrared), Motion Sensor	Application Sector	Commercial
5-Year		
6.0 in	Product Weight US	0.55 lb
	754182939510  IR (Infrared), Motion Sensor  5-Year	754182939510 Country Of Origin  IR (Infrared), Motion Sensor  5-Year

Product Depth US

Product Volume US

Product Height US

## Additional Information

RoHS Conformant	Yes	Security	Yes
Product Environmental Profile	Yes		
Technical Information			
Sensor Type	Daylight, Occupancy	Indoor/Outdoor	Outdoor
Sensing Range	360 degrees,100 ft diameter	Voltage	120 to 480 V