




Wattstopper DLM Wired Standard Switch, 2B, Gray

Part No. BCS_WA_LMSW-220-GRY



LMSW-200 Series Wall Switches are programmable, low voltage devices for manual on/off, dimming, and scene control of one or more loads from one or more locations. They are part of the Digital Lighting Management (DLM) system and can control any load(s) connected to DLM room controllers.

Features & Benefits

Software lockable configuration button, accessible without faceplate removal

Infrared (IR) transceiver for wireless configuration and control

Each button and rocker can control individual or multiple loads. Buttons can instead control one scene. LED indicates status.

Custom engraving available to replace standard engraving

The product meets the materials restrictions of RoHS

Digital Lighting Management components plug together on a free-topology Category 5e DLM local network

Switches may be used for multi-way control

Each button can be used to dim assigned loads

Sleek single gang devices fit decorator wall plates

BAA compliant options available

Specifications

General Info

| | | | |
|------------------|--------------|--------------------|------------|
| Product Line | Wattstopper | Color | Gray |
| UPC Number | 754182000128 | Country Of Origin | China |
| Package Quantity | 1 | Application Sector | Commercial |
| Warranty Type | 5-Year | Type | Switch |

Dimensions

| | | | |
|------------------|--------|-------------------|--------|
| Product Width US | 1.6 in | Product Weight US | 0.1 lb |
| Product Depth US | 1.6 in | Product Height US | 4.1 in |

Additional Information

Product Has Potential to Contribute to LEED Yes

Technical Information

| | | | |
|--------------------------|--|-----------------------|---------|
| Compatibility | DLM | Number of Buttons | 2 |
| Indoor/Outdoor | Indoor | Wattage | 0.12 W |
| Supply Voltage | 24 V | Operating Temperature | 0°-55°C |
| Environmental Conditions | 5 to 95% (relative humidity, non-condensing) | | |
