




Cord Drops

SteriGuard™ Antimicrobial Cord Drops provide excellent protection against the growth of microbes on all surfaces. Independent testing proves the ability of these devices to inhibit the growth of Escherichia coli, Gram (-) and Staphylococcus aureus, Gram (+) providing long-lasting benefits to manufacturers' beyond conventional cleaning methods. Factory assembled, custom solution Cord Drops manufactured using heavy-duty SEOW/STOW cord for maximum durability and longevity meet the most demanding industrial and construction applications. SteriGuard™ provides a cost-effective way to add additional safety precautions and unequalled assurance that every feasible step has been taken in the interest of consumer protection. The SteriGuard™ Antimicrobial Cord Drops with SteriGuard™ Antimicrobial plugs and connectors are a complete antimicrobial solution.

Features & Benefits



- **Patent Pending**
- **Custom cord drops are engineered to order for desired length specifications** and NEMA type configurations
- **Antimicrobial Additives Embedded in polymer** and inhibits Growth of Bacteria, Molds, Mildews and Fungi
- **Antimicrobial Additive Resistant to Scuffing and Cleaning**
- **Escherichia (E.Coli):** Log reduction > 4.8, reduced surface bacteria by > 99.99%
- **Staphylococcus (Staph), MRSA:** Log Reduction > 4.3, reduces surface bacteria by > 99.97%
- **Salmonella:** Log Reduction > 3.6, reduces surface bacteria by > 99.97%
- **RoHS Compliant (Non-Halogenated)**
- **Independently tested and Certified to JIS Z2801 standards**
- **Resistant to High Pressure Hose-down applications**
- **Tongue & Groove Environmental Sealing**
- **Keyed Body and Cover for Alignment**
- **NEMA Type 4, 4x, 6, 6P and IP67 Protection**
- **Additives are embedded** in both the cord and wiring devices
- **SteriGuard™ Antimicrobial Cord Drops are ideal for a wide range of applications** including food and beverage preparation, procession & packaging; agriculture, pharmaceutical and health care

Compliance



UL Listed, Standard UL498 (Plug/Connector). CSA Certified, Standard CSA C22.2 No. 42.
Conforms to NEMA WD-1, WD-6 and ANSI standards. NSF certification.

Technical Information

Specifications

General Information

Type	Cord
Special Features	Straight, Locking, Watertight, NEMA

Listing Agencies/Third Party Information

CSA Listing Info	C22.2 No. 42M
CSA Listed	Yes
cUL Standard	Yes
UL Listing No	UL498
UL Listed	Yes
UL Standard	Yes
UN SPS C	39121402

Technical Information

Amps	15A, 20A, 30A-Wiring Devices
Material	Thermoplastic Elastomer/ Rubber
NEMA Rating	4,4X,12,6,6P-Wiring Devices
Operating Temperature Celsius	-40°C-60°C-Wiring Devices, -50°C- 150°C-Industrial Cord
Volts	600V

Buy American Act Compliance

Country of Origin	UNITED STATES OF AMERICA
Buy American Act Status	Buy American Act Compliant

Ordering Information

To ensure you get the right product for your application, use the charts and follow the example below to select the right cord size and type, your required length and the device part number. To place the order, contact Customer Service at **800-223-4162** or **customer.support@legrand.us**.


PS	123	XX	14W47AM
Prefix	Cord Size and Type 143 = 14/3 SEOW 123 = 12/3 SEOW 124 = 12/4 SEOW Other sizes available upon request.	Select Length (1-99 ft.)	SteriGuard Part No. Select specific device from the chart. Part number shown above is an example only.

SteriGuard™ Antimicrobial Wiring Devices are ideal for a wide range of applications including:

- Poultry Processing
- Seafood Processing
- Meat Processing
- Pharmaceutical Processing
- Food Packaging
- Food Preparation
- Agriculture
- Beverage Processing
- Health Care

Also available...

- Mechanical Interlocks
- Flexcor® Wire Mesh Grips
- Turnlok® Locking Devices
- Portable GFCI
- IEC 309 Industrial Products
- Straight Blade Plugs & Connectors
- Ground Continuity Monitoring (GCM)

 The paper used to print this document is an environmentally responsible paper with 10% post consumer waste, with FSC and SFI Chain of Custody certifications, Lacey Act compliant. 100% of the electricity used to manufacture Flo sheets is generated with Green-e certified renewable energy.

All brand and product names referenced in this document are registered trademarks or trademarks of their respective holders.



Legrand, North America
60 Woodlawn Street
West Hartford, CT 06110
1.877.BY.LEGRAND (295.3472)
www.legrand.us

570 Applewood Crescent
Vaughan, Ontario L4K 4B4
905.738.9195
www.legrand.ca

FOLLOW US

