

**CLASSIFICATION:** 26 27 26 Electrical- Wiring Devices

**PRODUCT DESCRIPTION:** This HPD covers the 302/304 Stainless Steel Wall Plates in the standard, jumbo, and junior jumbo sizes and covers all available opening types and number of gangs. It does not cover the painted, printed, or engraved options. Further explanation of the product lines covered by this HPD is provided in the general notes section.

## Section 1: Summary

## Nested Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method
- Basic Method

#### Threshold Disclosed Per

- Material
- Product

#### Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

#### Residuals/Impurities

Residuals/Impurities Considered in 6 of 6 Materials

Explanation(s) provided for Residuals/Impurities?  
 Yes  No

All Substances Above the Threshold Indicated Are:

**Characterized**  Yes Ex/SC  Yes  No  
 % weight and role provided for all substances.

**Screened**  Yes Ex/SC  Yes  No  
 All substances screened using Priority Hazard Lists with results disclosed.

**Identified**  Yes Ex/SC  Yes  No  
 All substances disclosed by Name (Specific or Generic) and Identifier.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

304 STAINLESS STEEL [ IRON LT-P1 | END CHROMIUM, METALLIC LT-P1 | RES | END | SKI NICKEL (METALLIC) LT-1 | RES | CAN | SKI | MAM | MUL MANGANESE LT-P1 | END | MUL | REP SILICON LT-UNK SULFUR, ELEMENTAL LT-UNK | SKI GRAPHITE LT-UNK NITROGEN NoGS PHOSPHORUS BM-2 | PHY | MAM ] 302 STAINLESS STEEL [ IRON LT-P1 | END CHROMIUM, METALLIC LT-P1 | RES | END | SKI NICKEL (METALLIC) LT-1 | RES | CAN | SKI | MAM | MUL MANGANESE LT-P1 | END | MUL | REP SILICON LT-UNK GRAPHITE LT-UNK ] AISI 1010 STEEL [ IRON LT-P1 | END MANGANESE LT-P1 | END | MUL | REP GRAPHITE LT-UNK ] SBR RUBBER [ STYRENE-BUTADIENE COPOLYMERS LT-UNK FATTY ACIDS, C14-18 AND C16-18-UNSATD. LT-UNK RESIN ACIDS AND ROSIN ACIDS, POTASSIUM SALTS LT-UNK ] GALVANIZING COATING [ ZINC LT-P1 | AQU | PHY | END | MUL ] TYPE 6/6 NYLON, BLACK [ POLY[IMINO(1,6-DIOXO-1,6- HEXANEDIYL)IMINO-1,6-HEXANEDIYL] LT-UNK GLASS, OXIDE, CHEMICALS LT-UNK | CAN CARBON BLACK LT-1 | CAN ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

This HPD was completed in accordance with the HPD Open Standard version 2.2. All associated hazards were disclosed for substances above the threshold.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

#### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-01-03

PUBLISHED DATE: 2020-02-03

EXPIRY DATE: 2023-01-03



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-1-standard](http://www.hpd-collaborative.org/hpd-2-1-1-standard)

### 304 STAINLESS STEEL

#: 77.90 - 98.84

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered via process chemistry (Pharos CML)

OTHER MATERIAL NOTES: This material is found in the product's main metal plate. The variation in the material's mass percentage is due to the different types of wall plates covered by this HPD which come in a variety of sizes, openings, and gangs and have different numbers of components.

#### IRON

ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-01-03

#: 66.40 - 74.00

GS: LT-P1

RC: UNK

NANO: No

ROLE: Alloy Ingredient

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: The substance weight percent range is based on the associated ASTM standard.

#### CHROMIUM, METALLIC

ID: 7440-47-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-01-03

#: 18.00 - 20.00

GS: LT-P1

RC: UNK

NANO: No

ROLE: Alloy Ingredient

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SKIN SENSITIZE

MAK

Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: The substance weight percent range is based on the associated ASTM standard.

#### NICKEL (METALLIC)

ID: 7440-02-0

%: **8.00 - 10.50**GS: **LT-1**RC: **UNK**NANO: **No**ROLE: **Alloy Ingredient**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: The substance weight percent range is based on the associated ASTM standard.

**MANGANESE**ID: **7439-96-5**%: **0.10 - 2.00**GS: **LT-P1**RC: **UNK**NANO: **No**ROLE: **Alloy Ingredient**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1B

SUBSTANCE NOTES: The substance weight percent range is based on the associated ASTM standard.

**SILICON**ID: **7440-21-3**

%: **0.10 - 0.80**

GS: **LT-UNK**

RC: **UNK**

NANO: **No**

ROLE: **Alloy Ingredient**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The substance weight percent range is based on the associated ASTM standard.

## SULFUR, ELEMENTAL

ID: **7704-34-9**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-01-03**

%: **0.03**

GS: **LT-UNK**

RC: **UNK**

NANO: **No**

ROLE: **Alloy Ingredient**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

SKIN IRRITATION

EU - GHS (H-Statements)

H315 - Causes skin irritation

SUBSTANCE NOTES: The substance weight percent range is based on the associated ASTM standard.

## GRAPHITE

ID: **7440-44-0**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-01-03**

%: **0.00 - 0.10**

GS: **LT-UNK**

RC: **UNK**

NANO: **No**

ROLE: **Alloy Ingredient**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The substance weight percent range is based on the associated ASTM standard.

## NITROGEN

ID: **7727-37-9**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-01-03**

%: **0.00 - 0.10**

GS: **NoGS**

RC: **UNK**

NANO: **No**

ROLE: **Alloy Ingredient**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The substance weight percent range is based on the associated ASTM standard.

## PHOSPHORUS

ID: **7723-14-0**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-01-03**

%: **0.00 - 0.05**

GS: **BM-2**

RC: **UNK**

NANO: **No**

ROLE: **Alloy Ingredient**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H228 - Flammable solid
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances

SUBSTANCE NOTES: The substance weight percent range is based on the associated ASTM standard.

## 302 STAINLESS STEEL

%: 1.15 - 8.41

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered via process chemistry (Pharos CML)

OTHER MATERIAL NOTES: This material is found in the product's main fasteners. The variation in the material's mass percentage is due to the different types of wall plates covered by this HPD which come in a variety of sizes, openings, and gangs and have different numbers of components.

### IRON

ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-01-03

%: 71.74

GS: LT-P1

RC: UNK

NANO: No

ROLE: Alloy Ingredient

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: The substance weight percent range is based on the associated ASTM standard.

### CHROMIUM, METALLIC

ID: 7440-47-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-01-03

%: 17.00 - 19.00

GS: LT-P1

RC: UNK

NANO: No

ROLE: Alloy Ingredient

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: The substance weight percent range is based on the associated ASTM standard.

### NICKEL (METALLIC)

ID: 7440-02-0

%: **8.00 - 10.00**GS: **LT-1**RC: **UNK**NANO: **No**ROLE: **Alloy Ingredient**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization

SUBSTANCE NOTES: **The substance weight percent range is based on the associated ASTM standard.****MANGANESE**ID: **7439-96-5**%: **0.00 - 2.00**GS: **LT-P1**RC: **UNK**NANO: **No**ROLE: **Alloy Ingredient**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1B

SUBSTANCE NOTES: **The substance weight percent range is based on the associated ASTM standard.****SILICON**ID: **7440-21-3**

%: **0.00 - 1.00**

GS: **LT-UNK**

RC: **UNK**

NANO: **No**

ROLE: **Alloy Ingredient**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The substance weight percent range is based on the associated ASTM standard.

**GRAPHITE**

ID: **7440-44-0**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-01-03**

%: **0.00 - 0.15**

GS: **LT-UNK**

RC: **UNK**

NANO: **No**

ROLE: **Alloy Ingredient**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The substance weight percent range is based on the associated ASTM standard.

**AISI 1010 STEEL**

%: **0.00 - 15.86**

PRODUCT THRESHOLD: **100 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: **Residuals and impurities were considered via process chemistry (Pharos CML)**

OTHER MATERIAL NOTES: **This material is only included in the strap mounted varieties of wall plates and can be found in the product's yoke and yoke screws. For those products, the material's mass percentage ranges between 4.67% and 15.86%. This variation in percentage is due to the different types of wall plates covered by this HPD which come in a variety of sizes, openings, and gangs and have different numbers of components. All other varieties of wall plates do not contain this material (0% mass).**

**IRON**

ID: 7439-89-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-01-03**%: **99.18 - 99.62**GS: **LT-P1**RC: **UNK**NANO: **No**ROLE: **Alloy Ingredient**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**ENDOCRINE****TEDX - Potential Endocrine Disruptors****Potential Endocrine Disruptor**SUBSTANCE NOTES: **The substance weight percent range is based on the associated AISI standard.****MANGANESE**

ID: 7439-96-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-01-03**%: **0.30 - 0.60**GS: **LT-P1**RC: **UNK**NANO: **No**ROLE: **Alloy Ingredient**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**ENDOCRINE****TEDX - Potential Endocrine Disruptors****Potential Endocrine Disruptor****MULTIPLE****German FEA - Substances Hazardous to Waters****Class 2 - Hazard to Waters****REPRODUCTIVE****GHS - Japan****Toxic to reproduction - Category 1B**SUBSTANCE NOTES: **The substance weight percent range is based on the associated AISI standard.****GRAPHITE**

ID: 7440-44-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-01-03**%: **0.08 - 0.13**GS: **LT-UNK**RC: **UNK**NANO: **No**ROLE: **Alloy Ingredient**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**None found****No warnings found on HPD Priority Hazard Lists**SUBSTANCE NOTES: **The substance weight percent range is based on the associated AISI standard.****SBR RUBBER**%: **0.00 - 7.02**PRODUCT THRESHOLD: **100 ppm**RESIDUALS AND IMPURITIES CONSIDERED: **Yes**RESIDUALS AND IMPURITIES NOTES: **Residuals and impurities were considered via process chemistry (Pharos CML)**



OTHER MATERIAL NOTES: This material is only included in some communication wall plates and can be found in the product's grommet. For those products, the material's mass percentage ranges between 4.25% and 7.02%. This variation in percentage is due to the different types of wall plates covered by this HPD which come in a variety of sizes, openings, and gangs and have different numbers of components. All other varieties of wall plates do not contain this material (0% mass).

### STYRENE-BUTADIENE COPOLYMERS

ID: 9003-55-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-01-03**

#: **94.00 - 96.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Polymer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The range in substance weight percent is based on the supplier declaration.

### FATTY ACIDS, C14-18 AND C16-18-UNSATD.

ID: 67701-06-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-01-03**

#: **1.00 - 5.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Polymer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The range in substance weight percent is based on the supplier declaration.

### RESIN ACIDS AND ROSIN ACIDS, POTASSIUM SALTS

ID: 61790-50-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-01-03**

#: **1.00 - 5.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Polymer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The range in substance weight percent is based on the supplier declaration.

### GALVANIZING COATING

#: **0.00 - 1.07**

PRODUCT THRESHOLD: **100 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: **Residuals and impurities were considered via process chemistry (Pharos CML)**

OTHER MATERIAL NOTES: This material is only included in the strap mounted varieties of wall plates and can be found in the product's yoke and yoke screws. For those products, the material's mass percentage ranges between 0.32% and 1.07%. This variation in percentage is due to the different types of wall plates covered by this HPD which come in a variety of sizes, openings, and gangs and have different numbers of components. All other varieties of wall plates do not contain this material (0% mass).

**ZINC**

ID: 7440-66-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-01-03**

%: **99.90**                      GS: **LT-P1**                      RC: **UNK**                      NANO: **Unknown**                      ROLE: **Coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: The substance weight percent range is based on the associated ASTM standard.

**TYPE 6/6 NYLON, BLACK**

%: **0.00 - 0.82**

PRODUCT THRESHOLD: **100 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered via process chemistry (Pharos CML)

OTHER MATERIAL NOTES: This material is only included in some communication wall plates and can be found in the product's bushing. For those products, the material's mass percentage ranges between 0.40% and 0.82%. This variation in percentage is due to the different types of wall plates covered by this HPD which come in a variety of sizes, openings, and gangs and have different numbers of components. All other varieties of wall plates do not contain this material (0% mass).



## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

N/A

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2020-**

EXPIRY DATE:

CERTIFIER OR LAB: **None**

APPLICABLE FACILITIES: **All**

**02-03**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

The 302/304 Stainless Steel Wall Plates have a product code of SSx#^\* where: x is a letter code indicating the size category of the wall plate. This HPD covers jumbo size (code=O), junior jumbo size (code=J) and standard size (code=<null>). # is a number code that signifies what kind of opening/how many gangs the wall plate has. This HPD covers all varieties. ^ is a possible letter code meaning the metal is painted, printed, and/or engraved. This HPD does not cover those options. \* is a possible packaging code indicating how the units are packaged and how many products are in the unit. This HPD covers all varieties.



## MANUFACTURER INFORMATION

---

MANUFACTURER: **Legrand**  
ADDRESS: **50 Boyd Ave**  
**Syracuse New York 13209, United States**  
WEBSITE: **www.legrand.us**

CONTACT NAME: **Nathan Sleight**  
TITLE: **Sustainability Engineer**  
PHONE: **315-468-8351**  
EMAIL: **nathan.sleight@legrand.us**

## KEY

---

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

### Recycled Types

**PreC** Preconsumer (Post-Industrial)  
**PostC** Postconsumer  
**Both** Both Preconsumer and Postconsumer  
**Unk** Inclusion of recycled content is unknown  
**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*