



4" ITRAY ALUMINUM STRAIGHT SECTIONS

| [Cablofil](#)

FEATURES & BENEFITS

The aluminum I-beam design of ITray is perfect for industrial installations with large diameter cables in long span situations, minimizing total tray width and creating a smooth transition between straight sections and fittings. A structural offset in the sidewall creates strong, mid-span splices that need fewer supports. Each splice snaps in place and stays without holding. Additionally, only four bolts are needed for each splice reducing hardware needs by 50%. These features allow Itray to be installed up to 30% faster than standard tray.

- Material: Aluminum Alloy 6063-T6
- Finish: Plain
- Bottom: Ldr: 1" wide I rung SB: Flat Sheet over 12" Rung Spacing. SC: Solid Corrugated VC: Vented Corrugated
- Construction: Welded
- Tray Design: Tray construction and markings are per the latest edition of NEMA Standards Publication VE1, CSA C22.2 No. 126.
- Tray Grounding Capability: Classified as an equipment grounding conductor per NEC 392.60.

SPECIFICATIONS

GENERAL INFO

Finish: Plain
Product Series: Itray
Type: Straight Sections

CONSTRUCTION INFORMATION

Material 1: Aluminum

DIMENSIONS

Depth (Metric): 4"