



Designed for retrofit and new construction, Evolution Series 4" Poke-Thru devices provide convenient access to power, communications, and audio/video services recessed below floor level - providing maximum device protection. 2-gangs of capacity allow you to configure services for the needs of your space. Evolution Series 4" Poke-Thru devices are the perfect fit for kiosks, training rooms, classrooms, healthcare facilities or commercial buildings with open-space architecture.

## Features & Benefits

**Deep Concrete Hole Capabilities:** Combine two pre-pour sleeves together for up to 18 inches of concrete pour depth.

**Recessed Devices:** All power, communications and A/V devices are recessed below floor level, providing maximum protection and device longevity.

**6 Finishes:** Evolution Series Poke-Thru Devices are available in six finishes to seamlessly match your environment.

**Plug Load Control up to 30 Feet:** Tested with Pass & Seymour® Wireless RF receptacles to control plug loads up to a distance of 30 feet when the cover is closed.

**Works with a variety of poke-thrus:** Compatible with 4AT poke-thru devices and all 4" core-drilled surface style poke-thrus.

**Unique Cover Design:** The cover opens a full 180 degrees with sliding doors to keep wires, connections and people safe.

**Open System for Expanded Compatibility:** Accepts industry standard power, communications and A/V devices from most manufacturers including Legrand AVIP, Extron® and more.

**2 Hour Fire Rating:** Evolution Series Poke-Thru Devices use an intumescent material that maintains the fire rating of any floor for up to 2 hours.'

## Specifications

### General Info

UPC Number	786564090922	Country Of Origin	United States
Product Line	Wiremold	Application Sector	Commercial
Type	Poke-Thru	Construction	Unassembled

### Buy American Act Compliance

NAFTA	Yes
-------	-----

### Additional Information

---

RoHS Conformant	Yes
-----------------	-----

---

## Technical Information

---

Number of Outlets	0
-------------------	---

---