

Wiremold 6IN PREWIRED AV PT FLUSH ASSEM SB SATIN BRASS

Part No. 6AT2PAVSB



Designed for retrofit and new construction, Evolution Series 6" Poke-Thru devices provide convenient access to power, communications, and audio/video services recessed below floor level - providing maximum device protection. With three gangs of capacity that allow you to configure services for the needs of your space, services can be placed in any location within the unit. The low-profile durable metal covers are available in seven finishes, designed to match any space. The cover also features sliding doors that allow cables to neatly egress from the unit, protecting cables while reducing tripping hazards. Evolution Series 6" Poke-Thru devices are the perfect fit for meeting and training rooms, classrooms, healthcare facilities or commercial buildings with open-space architecture.

Features & Benefits

All Evolution Series Poke-Thru Devices, like every Wiremold Poke-Thru Device, meet and exceed UL scrub water exclusion requirements for tile, carpet, and wood covered floors.

Specifications

| General Info | | | |
|-----------------------|-------------------------------------------------------------------------------------------------|--------------------|--------------|
| Product Line | Wiremold | UPC Number | 786564096535 |
| Country Of Origin | United States | Construction | Assembled |
| Number of Knockouts | 3 | Application Sector | Commercial |
| Standard | cULus Listed Metallic Outlet Boxes: File E2961 Guide QCIT Meets Article 314.27(C) of NEC. | Туре | Poke-Thru |
| Dimensions | | | |
| Cubic Capacity | 2578.88 cu in | | |
| Listing Agencies / 3r | d Party Agencies | | |
| cULus ListingNumber | E2961 | cULus Listed | Yes |
| Buy American Act Co | ompliance | | |
| NAFTA | Yes | | |

| Additional Information | | | | |
|------------------------|-----------|-------------------------------|-----|--|
| RoHS Conformant | Yes | Product Environmental Profile | Yes | |
| Technical Information | | | | |
| Cable Entry | Knockouts | Number of Outlets | 2 | |