

Wiremold 8IN PREWIRED SURF PT W 25FT LEAD GY 25 FT LEADS GRAY

Part No. 8ATC2PGY-25



Designed for retrofit and new construction, Evolution Series 8" Poke-Thru devices provide convenient access to power, communications, and A/V services recessed below floor level - providing maximum device protection. With five gangs of capacity that allow you to configure services for the needs of your space, services can be placed in any location within the unit. The low-profile durable metal covers are available in seven finishes, designed to match any space. The cover also features sliding doors that allow cables to neatly egress from the unit, protecting cables while reducing tripping hazards. Evolution Series 8" Poke-Thru devices are the perfect fit for meeting and training rooms, classrooms, healthcare facilities or commercial buildings with open-space architecture.

Features & Benefits

All Evolution Series Poke-Thru Devices, like every Wiremold Poke-Thru Device, meet and exceed UL scrub water exclusion requirements for tile, carpet, and wood covered floors.

Specifications

		General Info				
Wiremold	UPC Number	786564090052				
United States	Construction	Assembled				
Recessed	Cover Style	Surface				
Commercial, Education, Healthcare, Hospitality	Standard	UL Fire Classified, cULus, NEC				
1-Year from Installation or 2-Years from Day of Sale	Туре	Poke-Thru				
12.2 lb	Core Hole Size	8 in				
1/2 in, 3/4 in						
Listing Agencies / 3rd Party Agencies						
E2961	cULus Listed	Yes				
	United States Recessed Commercial, Education, Healthcare, Hospitality 1-Year from Installation or 2-Years from Day of Sale 12.2 lb 1/2 in, 3/4 in Party Agencies	United States Construction Recessed Cover Style Commercial, Education, Healthcare, Hospitality 1-Year from Installation or 2-Years from Day of Sale Type 12.2 lb Core Hole Size 1/2 in, 3/4 in Party Agencies				

Trade Programs				
USMCA	Yes			
Additional Information				
RoHS Compliant	Yes	Product Environmental Profile	Yes	
Technical Information				
Floor Type	Carpet, Concrete, Polished Concrete, Terrazzo, Tile, Wood	Is Pre-Wired	Yes	
Service Capacity	Dual	Fire Rating	2 hr	
Cable Entry	CONDUIT			