

Pass and Seymour PlugTail® 20A 125V Heavy Duty Spec-Grade Plug Load Controllable Duplex Receptacle, Gray Part No. PT5362SCCHGRY



PlugTail® Spec Grade Receptacles, 20A, 125V. These durable, dependable receptacles feature a permanently marked, differentiated solution that meets all necessary code requirements. PlugTail® devices and connectors mean that device installation is the same regardless of skill level of the installer. The UL-Listed connectors are keyed to ensure proper wiring installation into each receptacle.

Features & Benefits

.032 inch thick, brass, triple-wipe power contacts for lasting retention.

Large brass contacts snugly terminate on device blade

No exposed terminals create a finger safe application before, during, and after installation.

Built-in connector features large brass terminal blades to ensure consistent, reliable electrical connections.

Dual mechanical shutter system to help prevent insertion of foreign objects Permanent controlled markings on face of receptacle (TR models).

compliant with ASHRAE 90.1, CA Title 24, and NEC.

Half-controlled versions include welded, pre-wired lead that control top half of receptacle for split circuit applications.

For covering patents, see www.legrand.us/patents.

For compatible wall plate options, from our TradeMaster unbreakable plates to our radiant screwless plates to our metal wall plates, click here.

Specifications

| General Info | | | | |
|-------------------|---------------------------------------------|-----------------------|---------|--|
| Product Line | Pass & Seymour | Color | Gray | |
| Country Of Origin | Mexico | Number of Receptacles | 2 | |
| Outlet Type | Commercial, Energy Saving On/Off, Indoor | Туре | Outlet | |
| Dimensions | | | | |
| Product Width US | 1.322 in | Product Depth US | 0.78 in | |
| Product Height US | 2.635 in | | | |

| cULus Listed | Yes | | | | |
|-----------------------|--------|-----------------|-------------|--|--|
| Technical Information | | | | | |
| Amperage | 20 A | Number of Poles | Double Pole | | |
| Indoor/Outdoor | Indoor | Voltage | 125.0 V | | |