



Wiremold  
RC7AM2TC Assembled Furniture Feed Poke-Thru Device  
Part No. RC7AM2TCAL



2" trade size conduit stem, complete with one 3/4" trade size conduit and two 1/2" trade size adapters and closure plugs. Finish flange/cover assembly available in painted gray (GY), black (BK), brushed plated brass (BS), and brushed aluminum (AL). NOTE: Assembled with scrub water gasket. For use on tile or carpet floors. RC9AM2TC Series Poke-Thru Devices require a 3" (76mm) diameter hole. Not designed to work with bare concrete or terrazzo. Floor covering thickness 1/8" minimum.

## Features & Benefits

2" trade size conduit stem, complete with one 3/4" trade size conduit and two 1/2" trade size adapters and closure plugs	Finish flange/cover assembly available in painted gray (GY), black (BK), brushed plated brass (BS), and brushed aluminum (AL)
NOTE: Assembled with scrub water gasket	For use on tile or carpet floors
RC9AM2TC Series Poke-Thru Devices require a 3" (76mm) diameter hole	Floor covering thickness 1/8" minimum
Floor covering thickness 1/8" minimum	

## Specifications

### General Info

Product Line	Wiremold	UPC Number	786564008705
Country Of Origin	Mexico	Construction	Assembled
Cover Style	Furniture Feed	Number of Knockouts	1
Application Sector	Commercial, Education, Healthcare, Hospitality	Standard	UL Fire Classified, cULus, NEC
Warranty Type	1-Year from Installation or 2-Years from Day of Sale	Type	Poke-Thru

### Dimensions

Product Weight US	4.0 lb	Core Hole Size	3 in
-------------------	--------	----------------	------

---

Knockout Size	2 in
---------------	------

---

### Listing Agencies / 3rd Party Agencies

---

cULus ListingNumber	E2961	cULus Listed	Yes
---------------------	-------	--------------	-----

---

### Trade Programs

---

USMCA	Yes
-------	-----

---

### Additional Information

---

RoHS Compliant	Yes
----------------	-----

---

### Technical Information

---

Floor Type	Carpet, Tile	Service Capacity	Dual
------------	--------------	------------------	------

---

Fire Rating	2 hr	Cable Entry	CONDUIT
-------------	------	-------------	---------

---