




Wiremold
RC91GHBTC Series Poke-Thru Insert With Double-Width Service Head
Part No. RC92GHBTC



Includes insert stem with disposable plate and four-gang service head with housing, base, scrub water gasket, and barrier. Service head and insert install together to make a poke-thru assembly. Combine with faceplates (sold separately) to complete service head assembly. Shown assembled. Service head is shipped unassembled with the insert stem. NOTE: Assembled with scrub water gasket. For use on tile or carpet floors. Requires a minimum 3 1/16" (78mm) diameter hole.

Features & Benefits

Includes insert stem with disposable plate and four-gang service head with housing, base, scrub water gasket, and barrier. Service head and insert install together to make a poke-thru assembly.

Combine with faceplates (sold separately) to complete service head assembly. Shown assembled. Service head is shipped unassembled with the insert stem.

NOTE: Assembled with scrub water gasket. For use on tile or carpet floors. Requires a minimum 3 1/16" (78mm) diameter hole.

Specifications

General Info

| | | | |
|--------------------|--|---------------------|--------------------------------|
| Product Line | Wiremold | UPC Number | 786564021681 |
| Country Of Origin | Mexico | Construction | Assembled |
| Cover Style | Pedestal | Number of Knockouts | 2 |
| Application Sector | Commercial, Education, Healthcare, Hospitality | Standard | UL Fire Classified, cULus, NEC |
| Warranty Type | 1-Year from Installation or 2-Years from Day of Sale | Type | Poke-Thru |

Dimensions

| | | | |
|-------------------|---------|----------------|----------------------|
| Product Weight US | 5.68 lb | Cubic Capacity | 24.5 in ³ |
| Core Hole Size | 3 in | | |

Listing Agencies / 3rd Party Agencies

cULus ListingNumber E2961

cULus Listed

Yes

Additional Information

RoHS Compliant Yes

Product Environmental Profile Yes

Technical Information

Service Capacity Dual

Fire Rating

2 hr
