



Pass and Seymour
Legacy - Bi-Level Dual Technology Wall Switch Sensor, White
Part No. WDT200W



Bi-Level Dual Technology Wall Switch Sensor, 1050 sq.ft. coverage,
120/230/277 VAC 50/60 Hz

Features & Benefits

High sensitivity and dense coverage for exceptional performance.

Sensitivity adjustment

Self-adaptive technology for automatic, intuitive energy savings.

Color-matched lenses and low profile for appealing design.

Fast, easy installation/switch-out.

Zero-crossing for long relay life.

Choice of auto-ON or manual-ON operation The WDT200 also

Gives you bi-level control of two loads independently from the same box.

Built-in sensor holds secondary lights off until daylight levels drop

Each relay can be set for automatic or manual ON.

Dual ON/OFF buttons can control each of the loads manually as well.

Specifications

General Info

Product Line	Pass & Seymour	Color	White
UPC Number	785007004823	Country Of Origin	China
Application Sector	Commercial	Standard	cULus, California Title 24 Compliant, RoHS-Compliant

Listing Agencies / 3rd Party Agencies

cULus Listed Yes

Technical Information

Target Size	1050	Operating Cycles	100
Body	ABS KJW Flame-Retardant Cicolac, 940-0 or Equivalent	Sensing Range	180° up to 1050 sq ft
Load	120VAC, 0-800W ballast or tungsten, 1/6 HP: 230/277VAC, 0-1200W ballast	Environmental Conditions	Temperature Range: 0 to 55C
