

Wiremold Charging Station, 2-Gang, (1) Duplex GFCI, (1) 4-Port USB-A Outlet - Bronze Part No. XCSPP2GRU-BZ



The Power Pedestal is ideal for areas that are already illuminated, such as outdoor dining areas. Shorter height enables use besides tables or as a lowerprofile solution in landscaping. Station includes one duplex GFCI receptacle and one 4-Port USB Outlet.

Features & Benefits

Charging & Illumination - Combine power with area lighting in one pedestal to maximize functionality of outdoor spaces.

Outdoor-Rated Construction – Rugged aluminum form designed for durability in all weather conditions. UL listed to NEMA 3R requirements to ensure optimal performance.

three outdoor-rated finishes to from black, bronze or silver.

Durable, Premium Finishes – Available in A/V & Communication Compatible – Add an A/V-Communication Kit to 3-gang versions to accommodate Wiremold AVIP plates as well as decorator A/V or communication devices. need to bring cables from inside a building.

Device Shelves - Add up to two pairs of shelves to hold mobile devices while charging

Door Options – Interior illuminates when door is open. Replace standard color-matched door with a transparent version to make devices inside more visible. Or, select a lockable door for added security or to ensure use is limited to facility personnel.

Specifications

General Info Product Line Wiremold Color Bronze **UPC** Number 786776186246 Country Of Origin Mexico Number of Receptacles Features **USB-A Charging** cULus Listed, File Number **Application Sector** Commercial Standard E479489, Guide PUPR Installed Devices Туре Charging Stations 4-Port USB-A, GFCI **Dimensions** Product Width US 6.0 in Product Weight US 35.0 lb 34.0 in Product Height US Product Length US 8.0 in

cULus ListingNumber	E479489	cULus Listed	Yes
Buy American Act Compliance			
NAFTA	Yes		
Additional Information			
RoHS Conformant	Yes	Product Environmental Profile	Yes
Technical Information			
Is Pre-Wired	Yes	Number of USBs	4
Number of Gangs	2	Amperage	20 A
Lighting Types	No Light		